									
VIRGINIA STA	TE PLANE	COORDINATES-S	OUTH	ZONE (VERTICAL DATA				
STATION NO.	UNITS	EASTING (X		NORTHING (Y)		Elevations refer to National Geodetic Vertical Datum (1929)			
001	Meters	3654984.1	29	111	6947.488	Elevation Of Station= 96.16'			
001	U S Survey	M. 11991393.7	64	366	4518.551	FOR WRITTEN			
	Int'l ft.	11991417.7	746 3664525.880		4525.880	ADDITIONAL DATA SEE REVERSE SIDE			
REFERENCE AND AZIMUTH MARK LOCATIONS					COUNTY/CITY	DISTRICT			
OBJECT		BEARING	DIST	ANCE	ELEVATION	JAMES CITY COUNTY		STONEHOUSE	
RM 1		S65*22'38"W		63.91'		STATION NUMBER:		FIELD BOOKS	
RM2		S51°16'39"E	8	89.60'			001	PS 321/2	
. RM3		S71*04'50"E	89	91.02'		1	<i>,</i> 0 i		
							·.	<u></u>	
•		LOCATION SKETCI	4			LOCATION MAP	(Scale: 1"=2000')		
ž Ž	RMI Rod Entr	Anil Boyes for Alo 1831, 1833 E483 Fenton Mill Rd 38 STA	001	23.02	SAKLAND BY NO		ATION ATION		

STATION 001:	A 3-1/4" disk in concrete, approximately 6" be The disk is located 23.5' north of the center 38.0' east of the stand of mailboxes for 4831	elow the ground surface, stamped "STATION NO. 001". line of Route 602 (Fenton Mill Road), approximately , 4833, and 4839 Fenton Mill Road.
REFERENCE MARK NO. 1:	A 2" disk in concrete, approximately 4" below The disk is located 14.0' south of the center the northeast corner of the wood rail fence.	the ground surface, stamped "REFERENCE MARK NO. 1". line of Route 602 (Fenton Hill Road), adjacent to
REFERENCE MARK NU. 2:	A 2" disk in concrete, approximately 5" below The disk is located 15.5' south of the center the northwest corner of the gravel driveway en	the ground surface, stamped "REFERENCE MARK NO. 2". line of Route 602 (Fenton Mill Road), adjacent to ntrance on Route 602.
REFERENCE MARK NO. 3:	A 2" disk in concrete, approximately 6" below The disk is located 23.0' north of the center 5.5' northwest of Virginia Power utility pole	the ground surface, stamped "REFERENCE MARK NO. 3". line of Route 602 (Fenton Mill Road), approximately #BN-06.
STA 001 WITNESS POST OF THE STATI	PLACED 3.0' West	
		Station Name: 1
RM1 WITNESS POST	PLACED 30.0' Southeast	
OP THE HARK		Latitude (dms) 37 22 27.15238
	•	Longitude (dms) 76 45 .09240
RM2 WITNESS POST	PLACED 35.5' Southeast	State Plane Zone (4502) Virginia South
OF THE MARK	Tanom 37.7 Docticast	
0		
RM3 WITNESS POST	PLACED 4.5' East	
OF THE MARK	TEMOLD 4,7 Dast	
OF THE PARK		
		Northing(Y) in international ft 3664525.880 Scale .99994541

		Convergence (dms) 1 3 43.570

VIRGINIA STA	TE PLA	NE C	COORDINATES-S	OUTH	NAD 1983)	VERTICAL DATA				
STATION NO.	UNIT		EASTING (X)		NORTHING (Y)		Elevations refer to National Geodetic Vertical Datum (1929)			
	Meter	re	3656027.26	6	1115715,276		Elevation Of Station= 100.2	1'		
002	U S Sun	rey ft.	11994816.12	- I	3660	475.867	FOR WRITTEN D	ESCRIPTION &		
	Int'l	ft.	11994840,11			403.188	ADDITIONAL DATA	ADDITIONAL DATA SEE REVERSE SIDE		
REI	FERENC	E AN	ND AZIMUTH MA	ARK LO	CATION	S	COUNTY/CITY	DISTRICT		
OBJECT			BEARING	DIST	ANCE	ELEVATION	YORK COUNTY	BRUTON		
RM1		1	127°26'35"E		80.88'		STATION NUMBER:		FIELD BOOKS	
RM2		1	148°43'50"W		52.35'			002	PS 321/5	
. RM3	. RM3 N03°56'51"W		1,2	219.67'			-			
									1	
			LOCATION SKETCH	4			LOCATION MAP	(Scale: 1"=2000')		
RM-Z RM-Z RM-Z RM-3 RM-3 RM-3 RM-3 RM-1 RM-1							602 STATION	Old Quake Estat	er little	

STATION 00	2:	The disk is located at the intersection of Ro	elow the ground surface, stamped "STATION NO. 002". ute 602 (Fenton Mill Road) and Route 1603 (Princess 602, 32.0' south of the center line of Route 1603.
REFERENCE	MARK NO. 1:	A 2" disk in concrete, approximately 3" below The disk is located 20.0' east of the center the wood post for mailbox for 417 Penton Mill	the ground surface, stamped "REFERENCE MARK NO. 1". line of Route 602 (Fenton Mill Road), 21.5' north of Road.
reference	MARK NO. 2:	A 2" disk in concrete, approximately 5" below The disk is located 20.5' north of the center 8.5' south of Virginia Power utility pole #FG	the ground surface, stamped "REFERENCE MARK NO. 2". line of Route 1603 (Princess Lane), approximately -84.
REFERENCE	MARK NO. 3:	A 2" disk in concrete, approximately 5" below The disk is located 18.0' east of the center Virginia Power utility pole #G105.	the ground surface, stamped "REFERENCE MARK NO. 3". line of Route 602 (Fenton Mill Road), 12.0' west of
	WITNESS POST OF THE STATIO	PLACED 3.0' East	Station Name: 2
	WITNESS POST OF THE MARK	PLACED 3.0' East	Latitude (dms) 37 21 46.55861 Longitude (dms) 76 44 18.63452 State Plane Zone (4502) Virginia South
	WITNESS POST OF THE MARK	PLACED 8.0' North	Easting (X) in meters 3656027.266 Northing(Y) in meters 1115715.276 Easting (X) in US Survey ft 11994816.121
	WITNESS POST OF THE MARK	PLACED 3.0' Southeast	Northing(Y) in US Survey ft 3660475.867 Easting (X) in international ft 11994840.111 Northing(Y) in international ft 3660483.188 Scale .99994540 Convergence (dms) 1 4 8.732

VIRGINIA STA	TE PLAI	NE C	COORDINATES-S	OUTH	VERTICAL DATA				
STATION NO.	UNITS	5]	EASTING (X))	NORTHING (Y)		Elevations refer to National Geodetic Vertical Datum (1929)		
	Meter	•	3657053.403 111470			701.231	Elevation Of Station= 115.	93'	
003	U S Surv		11998182.70			148.955	FOR WRITTEN		
	Int'l ft. 11998206.70				156.270	ADDITIONAL DATA SEE REVERSE SIDE			
REFERENCE AND AZIMUTH MARK LOCAT						COUNTY/CITY	DISTRICT		
OBJECT			BEARING	DI	STANCE	ELEVATION	YORK COUNTY	BRUTON	7555 5566
RM 1		S	61°24'13"W		90.15'		STATION NUMBER:		FIELD BOOKS
RM2		N	124°43'11"W		135.39'			003	PS 321/10
. RM3	. RM3		156°00' 17"E	2	,503.50'				
G			LOCATION SKETCH	1	" 1 TO K	PM 3	LOCATION MAP	(Scale: 1"=2000')	
LOCATION SKETCH RM 2 Quid STA 003 RM 10 RM 10 RM 2 RM 3 RM 3 RM 10 RM 3 RM 10 RM 10								STATION	LOCATION

ST	AT	TON	003	•

A 3-1/4" disk in concrete, approximately 3" below the ground surface, stamped "STATION NO. 003". The disk is located at the southeast corner of the intersection of Routes 646 (Lightfoot Road) and 602 (Fenton Mill Road), 43.0' east of the center line of Route 602, 29.0' east of the center line of the northbound lanes of Route 646.

- REFERENCE MARK NO. 1: A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 1".

 The disk is located 49.5' west of the center line of Route 602 (Fenton Mill Road), 41.0' east of the center line of the northbound lanes of Route 646 (Lightfoot Road).
- REFERENCE MARK NO. 2: A 2" disk in concrete, approximately 4" below the ground surface, stamped "REFERENCE MARK NO. 2".

 The disk is located 35.0' north of the center line of Route 602 (Fenton Mill Road), 42.0' west of the center line of the southbound lanes of Route 646 (Lightfoot Road).
- REFERENCE MARK NO. 3: A 2" disk in concrete, approximately 4" below the ground surface, stamped "REFERENCE MARK NO. 3".

 The disk is located 18.0' west of the center line of Route 646 (Lightfoot Road), 13.5' southeast of 42" property boundary corner pin (from covered with PVC).

STA 003	WITNESS POST PLACED 4.0' Southeast OF THE STATION	Station Name: 3				
		Latitude (dms) 37 21 13.04694				
RM 1	WITNESS POST PLACED 2.0' Southeast	Longitude (dms) 76 43 37,71323				
	OF THE MARK	State Plane Zone (4502) Virginia South				
		Easting (X) in meters 3657053.403				
RM2	WITNESS POST PLACED 2.0' Northwest	Northing(Y) in meters 1114701.231				
	OF THE MARK	Easting (X) in US Survey ft 11998182,705				
		Northing(Y) in US Survey ft 3657148.955				
RM3	WITNESS POST PLACED 3.0' North	Easting (X) in international ft 11998206.702				
	OF THE MARK	Northing(Y) in international ft 3657156.270				
		Scale .99994543				
		Convergence (dms) 1 4 33.568				

VIRGINIA STA	TE PLAN	NE C	OORDINATES-S	OUTH	ZONE (NAD 1983)	VERTIC/	AL DATA		
STATION NO.	UNITS		EASTING (X)		NORTHING (Y)		Elevations refer to National Geodetic Vertical Datum (1929)			
	Meters		3657998.794		11158	397.191	Elevation Of Station= 68.31	•		
004	U S Surve	y ft.	12001284.377		36610	072.700	FOR WRITTEN D			
	Int'l ft		12001308.380)	36610	080,023	ADDITIONAL DATA SEE REVERSE SIDE			
REI	FERENCE	E AN	ID AZIMUTH MA	ARK	LOCATION	IS	COUNTY/CITY	DISTRICT		
OBJECT	·		BEARING	DI	STANCE	ELEVATION	YORK COUNTY	•		
RM 1		S	87°03'58"W		154.05'		STATION NUMBER:		FIELD BOOKS	
RM2	RM2 S2		21°01'44"W		41.95'			004 PS 321/	PS 321/13	
RM3		S	335°22'32"E		907.28'		'	004		
•			LOCATION SKETCH	l			LOCATION MAP ((Scale: 1"=2000')		
PM 1 Q	15 15 15 hire	Dr.		Sand Ash Drie	are last of the state of the st	16 3		COUNT COUNT	OCATION	

STATION 004:		l" below the ground surface, stamped "STATION NO. 004". nter line of Route 1628 (Devonshire Drive), 20.5' west use at 108 Devonshire Drive.						
REFERENCE MARK NO. 1		elow the ground surface, stamped "REFERENCE MARK NO. 1" nter line of Route 1628 (Devonshire Drive), 7.5' g Power transformer.						
REFERENCE MARK NU. 2	A 2" disk in concrete, approximately 3" below the ground surface, stamped "KEFERENCE MARK NO. 2" The disk is located 15.5' south of the center line of Route 1628 (Devonshire Drive), 19.0' west conter line of the driveway at 107 Devonshire Drive.							
REFERENCE MARK NO. 3		elow the ground surface, stamped "REFERENCE MARK NO. 3" is Power utility pole #UG-32, on knoll north of gravel f Route 646 (Lightfoot Road).						
STA 004 WITNESS PO	ST PLACED <u>6.5' West</u> FION	Station Name: 4						
RM1 WITNESS PO OF THE MAR	ST PLACED 6,0' Northwest	Latitude (dms) 37 21 51.25786 Longitude (dms) 76 42 58.38560 State Plane Zone (4502) Virginia South Easting (X) in meters 3657998.794						
RM2 WITNESS PO OF THE MAR	ST PLACED 4.0' West	Northing(Y) in meters 1115897.191 Easting (X) in US Survey ft 12001284.377 Northing(Y) in US Survey ft 3661072.700						
RM3 WITNESS PO OF THE MAR	ST PLACED 18.0' North	Easting (X) in international ft 12001308.380 Northing(Y) in international ft 3661080.023 Scale .99994540 Convergence (dms) 1 4 57.437						

VIRGINIA STATE PLANE COORDINATES-SOUTH ZONE (NAD 1983)					VERTICAL DATA					
STATION NO.	UNI		EASTING (X				Elevations refer to National Geodetic Vertical Datum (1929)			
005	Mete)(IS	3656837.9	22		7802.363	Elevation Of Station= 108.4	(1323)		
005	U S Sur	vey ft.	11997475.7	50	366	7323.254			· · · · · · · · · · · · · · · · · · ·	
	Int'i	ft.	11997499.74	745 3667330.589			FOR WRITTEN DESCRIPTION &			
REFERENCE AND AZIMUTH MARK LOCATIONS					LOCATION	IS		SEE REVERSE SIDE	••••	
OBJECT			BEARING	DIS	STANCE	ELEVATION	COUNTY/CITY DISTRICT JAMES CITY COUNTY STONEHOUSE			
RM1		N62 49 13"E			36.32'			J OTONEHOUSE	FIELD BOOKS	
RM2		ı	N55°52'13"W	-	104.72'		STATION NUMBER:		PS 327/5	
, RM3	, RM3		\$20°03'37"E		545.27'		. 0	05	PS 327/6	
				, , ,			_		15 52,75	
LOCATION SKETCH TOTAL FACE T						Ran	LOCATION MAP (TENSONS CORNER A COUNT A COUNT BARLOWS BORNERS	

llunt

STATION 005:		A 3-1/4" disk in concrete, approximately 2 The disk is located at the end of Saddleto 16.0' north of the west gate post at the	" below the ground surface, stamped "STATION NO. 005". own Road, at the entrance to the Fair Oaks Hunt Club, entrance to the club.
REFERENCE MARK	NO. 1:	A 2" disk in concrete, approximately 2" be The disk is located 21.0' east of the cent Club.	low the ground surface, stamped "REFERENCE MARK NO. 1". er line of the dirt road (private) to the Pair Oaks Hunt
REFERENCE MARK	NO. 2:	A 2" disk in concrete, approximately 5" be The disk is located 30.0' west of the cent	low the ground surface, stamped "REFERENCE MARK NO. 2". er line of Saddletown Road.
REFERENCE MARK	NO. 3:	The disk is located on the premises of the	clow the ground surface, stamped "REFERENCE MARK NO. 3". Fair Oaks Hunt Club, 31.0' north of the corner of the ling, 28.0' northwest of Virginia Power utility pole
	ESS POST HE STATI	PLACED 5.0' South	Station Name: 5
	ESS POST HE MARK	PLACED 3.0' Southeast	Latitude (dms) 37 22 53.75718 Longitude (dms) 76 43 44.10379 State Plane Zone (4502) Virginia South
	ESS POST HE MARK	PLACED 2.0' West	Basting (X) in meters 3656837.922 Northing(Y) in meters 1117802.363 Basting (X) in US Survey ft 11997475.750
	ess post He Mark	PLACED 27.0' Southeast	Northing(Y) in US Survey ft 3667323.254 Easting (X) in international ft 11997499.745 Northing(Y) in international ft 3667330.589 Scale .99994543 Convergence (dms) 1 4 29.690
			Convergence (dus) 1 4 29.690

VIRGINIA STATE PLANE COORDINATES-SOUTH ZONE (NAD 1983)							VERTICAL DATA			
STATION NO.	UNIT	s	EASTING (X))	NORTHING (Y)		Elevations refer to National G	eodetic Vertical C	latum (1929)	
	Meter	•	3659043.60	1	1114	323.477	Elevation Of Station= 80.38'			
006	U S Surv	ey ft.	12004712.215		3655	909.606	FOR WRITTEN J	SCRIPTION &		
	Int'l (N	12004736,22	5 3655916,918		916.918	ADDITIONAL DATA SEE REVERSE SIDE			
RE	FERENC	E AN	ND AZIMUTH MA	ARK	LOCATION	S	COUNTY/CITY	DISTRICT		
OBJECT	OBJECT		BEARING	DISTANCE		ELEVATION	YORK COUNTY	BRUTON		
RM 1		S	54 ° 51 ' 00"E		99.48'		STATION NUMBER:		FIELD BOOKS	
RM2		N	40°40' 12"E		241.31'		1 0	06	PS 327/1	
, RM3	RM3		59°12'28"W	1	,693.25'		1		·.	
STATION (007	N	18°34'36"E	2	,111.62'					
(Bearing)	RM	GI)	LOCATION SKETCH	TI JO MONTON	10 10 10 10 10 10 10 10 10 10 10 10 10 1	701,250 P	LOCATION MAP (Road Road Aubern La. STATION LOCA	Scale: 1"=2000') Skimino		

STATION 006:	A 3-1/4" disk in concrete, approximately 3" below the ground surface, stamped "STATION NO. 006".
	The disk is located at the northwest corner of the intersection of Route 797 (Skimino Road) and
	604 (Rarlow Road) 15.0' north of the center line of Poute 604 55.01 week of the center line of

Route 797.

UTTNESS BOST DIACED 10 51 Northoget

REFERENCE MARK NO. 1: A 2" disk in concrete, approximately 5" below the ground surface, stamped "REFERENCE MARK NO. 1".

The disk is located 41.0' east of the center line of Route 797 (Skimino Road), 44.0' north of the center line of Route 604 (Barlow Road).

REFERENCE MARK NO. 2: A 2" disk in concrete, approximately 1" below the ground surface, stamped "REFERENCE MARK NO. 2".

The disk is located 21.5' east of the center line of Route 797 (Skimino Road), 9.0' west of Virginia Power utility pole #CM-24.

REFERENCE MARK NO. 3: A 2" disk in concrete, approximately 2" below the ground surface, stamped "REFERENCE MARK NO. 3".

The disk is located 25.0' southwest of the center line of Route 604 (Barlow Road), 2.5' south of Virginia Power utility pole #WO-52.

OF THE STATION	Station Name: 6
	Latitude (dms) 37 20 59.57524
	Longitude (dms) 76 42 17.14743
OF THE MARK	State Plane Zone (4502) Virginia South
	Basting (X) in meters 3659043.601
	Northing(Y) in meters 1114323.477
OF THE MARK	Easting (X) in US Survey ft 12004712.215
	Northing(Y) in US Survey ft 3655909.606
WITNESS POST PLACED 7.0' Southwest	Easting (X) in international ft 12004736.225
OF THE MARK	Northing(Y) in international ft 3655916.918
	Scale .99994545
	Convergence (dms) 1 5 22.466
	OF THE STATION WITNESS POST PLACED 2.0' Southeast OF THE MARK WITNESS POST PLACED 8.5' East OF THE MARK WITNESS POST PLACED 7.0' Southwest

VIRGINIA STATE PLANE COORDINATES-SOUTH ZONE (NAD 1983)					CAL DATA						
STATION NO.	UNIT		EASTING (X)		NORTHING (Y)		Elevations refer to National		atum (1929)		
	Meter	ns .	3659248.643		1114	933.565	Elevation Of Station= 77.	81'			
007	U S Surv	ney ft.	12005384.92	22	36579		3657911.204			DESCRIPTION &	
	Int'i		12005408.93			918.520	ADDITIONAL DAT	A SEE REVERSE SIDE			
REI	FERENC	E Al	ND AZIMUTH MA	ARK LOC	ATION	S	COUNTY/CITY	DISTRICT			
OBJECT			BEARING	DISTAN	CE	ELEVATION	YORK COUNTY	BRUTON	FIELD BOOKS		
RM1			S15°30'46"E	30	0.02'		STATION NUMBER:		1		
RM2			N77°06'54"E	269	9.12'		1	007	PS 327/2		
. RM3			\$30°16'43"W		9.75'		4	.	1		
STATION	006		S18°34'36"W	2,11	1.62'			(Scale: 1"=2000')			
W 5000 211	min to	30 30 518 40	LOCATION SKETCH		The state of the s	The state of the s	STATION Barrer Minge Cr. The Control of the Contr	LOCATION Skim	er k		

	•	Route 797.	from
MARK NO. 1:	A 2" disk in concrete, approximately 2" below The disk is located 15.0' south of the cento 007.	ow the ground surface, stamped "REFERENCE MARK No er line of Route 797 (Skimino Road), opposite STA	0. 1 ⁴
MARK NO. 2:	A 2" disk in concrete, approximately 4" below The disk is located 16.0' east of the center Virginia Power utility pole #DA-69.	ow the ground surface, stamped "KEFERENCE MARK NO r line of Route 797 (Skimino Road), 10.5' southwe). 2' est d
MARK NO. 3:	A 2" disk in concrete, approximately 5" below The disk is located 15.0' north of the center post for the mailbox at 143 Skimino Road.	ow the ground surface, stamped "REFERENCE MARK No er line of Route 797 (Skimino Road), 17.0' west o). 3' of th
		Station Name: 7	
	PLACED 41.0' Northwest	Latitude (dms) 3/ 21 19.23563 Longitude (dms) 76 42 8.34540 State Plane Zone (4502) Virginia South	
	PLACED 2.5' South	Northing(Y) in meters 1114933.565 Easting (X) in US Survey ft 12005384.922	
WITNESS POST OF THE MARK	PLACED 2.5' West	Easting (X) in international ft 12005408.933 Northing(Y) in international ft 3657918.520 Scale .99994542	
	MARK NO. 2: MARK NO. 3: WITNESS POST OF THE STATIO WITNESS POST OF THE MARK WITNESS POST OF THE MARK	MARK NO. 2: A 2" disk in concrete, approximately 4" beld. The disk is located 16.0' east of the center Virginia Power utility pole #DA-69. MARK NO. 3: A 2" disk in concrete, approximately 5" beld. The disk is located 15.0' north of the center post for the mailbox at 143 Skimino Road. WITNESS POST PLACED 3.0' North OF THE STATION WITNESS POST PLACED 41.0' Northwest OF THE MARK WITNESS POST PLACED 2.5' South OF THE MARK WITNESS POST PLACED 2.5' West	MARK NO. 2: A 2" disk in concrete, approximately 4" below the ground surface, stamped "KEFERENCE MARK No. 10.5" southween virginia Power utility pole #DA-69. MARK NO. 3: A 2" disk in concrete, approximately 5" below the ground surface, stamped "REFERENCE MARK No. 10.5" southween the disk is located 15.0" north of the center line of Route 797 (Skimino Road), 17.0" west composed for the mailbox at 143 Skimino Road. WITNESS POST PLACED 3.0" North OF THE STATION Latitude (dms) 3/ 21 19.23563 Longitude (dms) 76 42 8.34540 OF THE MARK State Plane Zone (4502) Virginia South Easting (X) in meters 3659248.643 Northing(Y) in meters 1114933.565 Easting (X) in meters 1114933.565 Easting (X) in US Survey ft 12005384.922 WITNESS POST PLACED 2.5" West Northing(Y) in US Survey ft 3657911.204 WITNESS POST PLACED 2.5" West Easting (X) in international ft 12005408.933 OF THE MARK Northing(Y) in international ft 3657918.520

IRGINIA STA	TE PLAN	IE COORDINATES-S				RTICAL DATA	(
TATION NO.	UNITS	EASTING (X			EASTING (X) NORTHING (Y) Elevations refer to Nation			Datum (1929)
000	Meters	3660444.7	82 111	5000.915	Elevation Of Station=	75.27'		
800	U S Surve	y ft. 12009309.2	55 3658	8132,169	FOR WRIT	TEN DESCRIPTION &		
	Int'l ft	12009333,2	73 3651	8139.485	ADDITIONAL	DATA SEE REVERSE SID	E	
REF	ERENCE	AND AZIMUTH M	ARK LOCATION	IS .	COUNTY/CITY	DISTRICT		
OBJECT		BEARING	DISTANCE	ELEVATION	YORK COUNTY	BRUTON		
RM1		N66*37'08"E	112.61'		STATION NUMBER:		FIELD BOO	
RM2		S18°23'04"E	222.82']	800	PS 327	
· RM3		S86°17'20"W	1,194.00'			500		
		<u> </u>		<u> </u>		MAP (Scale: 1"=2000'		
9-	LOCATION SKETCH Surface Treefed 586-17-20-1/1 199000 4 19900 5 5000 008			· · · /				

STATION 00	8:	The disk is located at the southeast corner	below the ground surface, stamped "STATION NO. 008". of the intersection of Routes 797 (Skimino Road) and line of Route 1612, 24.0' south of the center line of
REFERENCE	MARK NO. 1:	A 2" disk in concrete, approximately 5" below The disk is located 15.0' south of the center adjacent 24" gum tree.	w the ground surface, stamped "REFERENCE MARK NO. 1". r line of Route 797 (Skimino Road), 26.0' east of the
REFERENCE	MARK NO. 2:	A 2" disk in concrete, approximately 5" below The disk is located 13.5' east of the center Virginia Power utility pole #JA-79.	w the ground surface, stamped "REFERENCE MARK NO. 2". line of Route 1612 (Forest Lane), 26.0' northwest of
REFERENCE I	MARK NO. 3:	A 2" disk in concrete, approximately 4" below The disk is located 19.5' west of the center Virginia Power utility pole #LB-92.	w the ground surface, stamped "REFERENCE MARK NO. 3". line of Route 797 (Skimino Road), 3.5' northwest of
	WITNESS POST OF THE STATIO	PLACED 13.0' East	Station Name: 8
RM1 (WITNESS POST OF THE MARK	PLACED 3.0' Southeast	Latitude (dms) 37 21 20.67838 Longitude (dms) 76 41 19.69527 State Plane Zone (4502) Virginia South Easting (X) in meters 3660444 782
	WITNESS POST OF THE MARK	PLACED 12.0' East	Northing(Y) in meters 1115000.915 Easting (X) in US Survey ft 12009309.255
	WITNESS POST OF THE MARK	PLACED 3.5' Southeast	Northing(Y) in US Survey ft 3658132.169 Easting (X) in international ft 12009333.273 Northing(Y) in international ft 3658139.485 Scale .99994542 Convergence (dms) 1 5 57.335

VIRGINIA STATE PLANE COORDINATES-SOUTH ZONE (NAD 1983)					VERTIC	CAL DATA	
					Elevations refer to National		Octum (1929)
STATION NO.	UNITS	EASTING (X)					dtaill (1000)
	Meters	3659129.99	7 1113	3612.843	Elevation Of Station= 77.72'		
009	U S Survey	ft. 12004995,66	6 3653	3578.135	FOR WRITTEN DESCRIPTION &		
	Int'l ft.	12005019.67	6 365	3585.442	ADDITIONAL DATA		
REI	ERENCE	AND AZIMUTH MA	ARK LOCATION	IS	COUNTY/CITY	DISTRICT	
OBJECT		BEARING	DISTANCE	ELEVATION	YORK COUNTY	BRUTON	7
RM1		S25*59'27"E	337.58'		STATION NUMBER:		FIELD BOOKS
RM2		N56*48'54"E	51.59'			009	PS 321/80-8
RM3		N20°02'34"W	634.54'		}	003	1
		LOCATION SKETCI	4		LOCATION MAP	(Scale: 1"=2000')	
Detroit of the second of the s	/_5	Surface Treately 1. 34 " W 634 54	APANEL & TOWN IN THE GOLD ENTER STATE OF THE GOLD ENTE		Skim Skim Oaktree Road (A12)	1 1 1	LOCATION

STATION 009:

A 3-1/4" disk in concrete, approximately 4" below the ground surface, stamped "STATION NO. 009".

		The disk is located 24.5' west of the center southeast corner of the frame house at 213 B	line of Route 604 (Barlow Road), 63.0' south of the arlow Road.
REFERENCE	MARK NO. 1:	A 2" disk in concrete, approximately 4" belo The disk is located 39.0' southwest of the c of Virginia Power utility pole #CG-47.	w the ground surface, stamped "REFERENCE MARK NO. 1". enter line of Route 604 (Barlow Road), 2.0' southeast
REFERENCE	MARK NO. 2:	A 2^{H} disk in concrete, approximately 3^{H} belo The disk is located 27.0' north of the cente 009.	w the ground surface, stamped "REFERENCE MARK NO. 2". r line of Route 604 (Barlow Road), opposite STATION
REFERENCE	MARK NO. 3:	A 2" disk in concrete, approximately 5" belo The disk is located 22.5' west of the center Virginia Power utility pole #BI-89.	w the ground surface, stamped "REFERENCE MARK NO. 3". line of Route 604 (Barlow Road), 5.0° northeast of
STA 009	WITNESS POST OF THE STATI	PLACED 4.0' Southwest	Station Name: 9
RM1	WITNESS POST OF THE MARK	PLACED 2.0' Northwest	Latitude (dms) 37 20 36.47397 Longitude (dms) 76 42 14.18684 State Plane Zone (4502) Virginia South
RM2	WITNESS POST OF THE MARK	PLACED 3.0' Northeast	Easting (X) in meters 3659129.997 Northing(Y) in meters 1113612.843 Easting (X) in US Survey ft 12004995.666 Northing(Y) in US Survey ft 26004995.666
RM3	WITNESS POST OF THE MARK	PLACED 4.5' Southwest	Northing(Y) in US Survey ft 3653578.135 Easting (X) in international ft 12005019.676 Northing(Y) in international ft 3653585.442 Scale .99994549 Convergence (dms) 1 5 24.263

VIRGINIA STA	VIRGINIA STATE PLANE COORDINATES—SOUTH ZONE (NAD 1983)						AL DATA		
STATION NO.	UNITS		EASTING (X)				Elevations refer to National G	eodetic Vertical (Datum (1929)
	Meter		3659093.55	51	1112	072.954	Elevation Of Station= 92.15	5'	
010	U S Surve	ey ft.	12004876.09	2	3648	526.017	FOR WRITTEN D	ESCRIPTION &	
	Int'i fi	ı.	12004900.10)2	3648	533.314	ADDITIONAL DATA	SEE REVERSE SIDE	
RE	FERENC	E AN	ID AZIMUTH MA	ARK L	OCATION	S	COUNTY/CITY	DISTRICT	
OBJECT	· T		BEARING	DIS	TANCE	ELEVATION	YORK COUNTY	BRUTON	Term P. BOOKS
RM1		S	48°43'18"W		473.55'		STATION NUMBER:		FIELD BOOKS
RM2		, N	140°22'03"W		29.131)10	PS 321/32
, RM3		В	138°49'20"E		489.53']	, 10	1
	1.BL . BL .	SWS	O PART STACE	TG4 TG4 TG4 Crochamber Crochamber			STATION L	OCATION -	Rochen

STATION (010:	The disk is located on Route 604 (Barlow Roa	below the ground surface, stamped "STATION NO. 010". d), north of Route F-137 (Rochambeau Drive), 14.5' northeast of the concrete headwall of I-64 overpass.
REFERENCE	MARK NO. 1:	The disk is located on Route F-137 (Rochambe	w the ground surface, stamped "REFERENCE MARK NO. 1" au Drive) at intersection with Route 604 (Barlow ate F-137, 1.5' south of street/route sign post.
REFERENCE	HARK NO. 2:	A 2" disk in concrete, approximately 3" belo The disk is located 15.0' west of the center concrete headwall of I-64 overpass.	the ground surface, stamped "REFERENCE MARK NO. 2" line of Route 604 (Barlow Road), 15.0' north of the
REFERENCE	MARK NO. 3:	A 2" disk in concrete, approximately 3" belo The disk is located 25.0' north of the cente the traffic direction sign post.	w the ground surface, stamped "REFERENCE MARK NO. 3" r line of Route 604 (Barlow Road), 8.5' northeast of
STA 010	WITNESS POST OF THE STATI	PLACED 3.0' Southeast	Station Name: 10
			Latitude (dms) 37 19 46.55323
RM1	WITNESS POST	PLACED 3.0' South	Longitude (dms) 76 42 16.85715
	OF THE MARK		State Plane Zone (4502) Virginia South
			Easting (X) in meters 3659093.551
RM2	WITNESS POST	PLACED 3.0' Northwest	Northing(Y) in meters 1112072.954
	OF THE MARK	**************************************	Easting (X) in US Survey ft 12004876.092
			Northing(Y) in US Survey ft 3648526.017
RM3	WITNESS POST	PLACED 4.0' East	Easting (X) in international ft 12004900.102
	OF THE MARK		Northing(Y) in international ft 3648533.314
			Scale .99994562
			Convergence (dms) 1 5 22.642